ELSEVIER

Journal of Organometallic Chemistry 634 (2001) 223

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 634

Äbele, E., 69
Albert, J., 83
Alcón, M.J., 25
Álvarez, C., 5
Arsenyan, P., 69

Bakalarski, G., 198
Batsanov, A.S., 99
Bernardinelli, G., 136
Biesemans, M., 55
Blacque, O., 47
Bosque, R., 83
Bouquillon, S., 153
BouzBouz, S., 215, 216
Brunner, H., 47
Buchmeiser, M.R., 39

Cabrera, A., 5
Cervantes-Lee, F., 102
Che, C.-M., 34
Chentit, M., 136
Chong, V., 61
Choua, S., 136
Cooney, J.M., 157
Cossy, J., 215, 216
Csámpai, A., 122
Cuenca, T., 177
Czugler, M., 122

Dai, X., 145
Delgado, S., 83
Deschamps, B., 131
Do, Y., 19

Eisch, J.J., 214
Ellinger, Y., 136
Estrine, B., 153

Faure, M., 12
Fischer, H., 209
Fleisher, M., 69

Galakhov, M., 177
Ganchegui, B., 153
Geoffroy, M., 136
Gielen, M., 55
Gitua, J.N., 214
Gommans, L.H.P., 157
Granell, J., 83
Grīnberga, S., 69

Han, Y., 19
Hayashida, T., 167

Hénin, F., 153
Hernández, S., 5
Herndon, J.W., 1
Hibbert, T.G., 99
Hoveyda, A.H., 215, 216
Howard, J.A.K., 99
H. Pannell, K., 102
Huang, J.-S., 34
Huttner, G., 74

Iglesias, M., 25

Kemmer, M., 55
Kempe, R., 39
Kim, Y., 19
Komatsu, H., 109
Kostas, I.D., 90
Kranenburg, M., 185
Kubicki, M.M., 47

Lai, W., 61
Lang, H., 74
Lau, M.-K., 61
Lay, U., 74
Leblanc, J.-C., 47
Leung, W.-H., 61
Liu, W.-S., 34
Lukevics, E., 69

Magali Cadena, J., 83
Main, L., 157
Mathey, F., 131
Meier, R.J., 185
Meier, W., 47
Miyazaki, K., 167
Moise, C., 47
Molter, J., 193
Mugnier, Y., 47
Muzart, J., 153

Nagashima, H., 167
Neels, A., 12
Neumüller, B., 193
Nicholson, B.K., 157

Onidi, A., 12
Otieno, P.O., 214

Peng, S.-M., 34
Popelis, J., 69

Rheinwald, G., 74
Ricard, L., 131

Rosas, N., 5
Royo, E., 177
Royo, P., 177
Rubina, K., 69

Sadorge, A., 47
Sánchez, F., 25
Schareina, T., 39
Schweiger, A., 185
Shane, J.J., 185
Sharma, P., 5
Shi, X., 214
Sidorenkova, H., 136
Sohár, P., 122
Stœckli-Evans, H., 12
Stoll, S., 185
Stumpf, R., 209
Sun, J., 145
Süss-Fink, G., 12

Tian, G., 145
Tiekink, E.R.T., 55
Toscano, A., 5
Toullec, P., 131
Túrós, G., 122

Uhl, W., 193

Van Doorslaer, S., 185
Vela, J., 5
Viani, I., 25

Wachter, J., 47
Wade, K., 99
Wamhoff, H., 122
Wang, B., 145
Wang, K., 1
Willem, R., 55
Wong, W.-T., 61
Wurst, K., 39

Xu, S., 145

Yamaguchi, Y., 167
Yamazaki, H., 109
Yu, N.-T., 61

Zabel, M., 47
Zhang, R., 34
Zhang, Y., 1, 102
Zhou, X., 145
Zimniak, A., 198
Zsolnai, L., 74

PII: S0022-328X(01)01201-3

ELSEVIER

Journal of Organometallic Chemistry 634 (2001) 225–229

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 634

Alcohols
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, 216
Alkyne
Synthese und Reaktionsverhalten von $(\eta^2$-BrC≡CR)$Co_2(CO)_6$. Die Festkörperstruktur von Pentacarbonyl-[μ-(1,2,3,4-η:1,4-η)-1,4-diphenyl-1,3-butadien-1,4-diyl]dicobalt, 74
Alkynylation
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
Allylic alcohols
Heck arylation of allylic alcohols in molten salts, 153
Allylsilane
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, 216
Amidinate
Preparation and structure elucidation of novel organoruthenium amidinates bearing η^4-diene ligands, 167
Aminations reactions
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, 39
Amino binding to titanium
Continuous wave and pulse EPR as a tool for the characterization of monocyclopentadienyl Ti(III) catalysts, 185
Aminonaphthalenes
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
Amphiphilic ligand
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, 90
Aqueous solution
Reactions of the cationic complex $[(\eta^5$-$C_5Me_5)_2Ir_2(\mu_2$-$H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, 12
Aromatic heterocycles
Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, 5
Asymmetric hydrogenation
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, 25

Benzannulation
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
Bis(1,1-diphenylallenylidene)-octacarbonyltriiron
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
Bis(tricarbonyliron)
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
Butadi-1,3-yne
Synthese und Reaktionsverhalten von $(\eta^2$-BrC≡CR)$Co_2(CO)_6$. Die Festkörperstruktur von Pentacarbonyl-[μ-(1,2,3,4-η:1,4-η)-1,4-diphenyl-1,3-butadien-1,4-diyl]dicobalt, 74

Carbene complexes
C–O bond activation in carbene-*C,O* chelate tungsten(II) complexes — MeX elimination in the reaction of $[X_2(CO)_3$-W=C(C_6H_4Me-*o*)OMe] with L_2 (L_2 = dppe, 2 PMe_3), 209
Carbon monoxide insertion
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5$-$C_5H_5)\}_2(\mu$-$CH_2)(\mu$-Cl)(μ-η^5-C_5H_4-η^5-$C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, 177
Carborane
Synthesis and solid state structure of α,α′-bis(2-phenyl-1,2-carboran-1-yl)lutidine, 99
Catalyst
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, 34
Cations derivatives
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5$-$C_5H_5)\}_2(\mu$-$CH_2)(\mu$-Cl)(μ-η^5-C_5H_4-η^5-$C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, 177
Cinnamaldehyde
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, 90
Close contacts
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
Cluster
Synthese und Reaktionsverhalten von $(\eta^2$-BrC≡CR)$Co_2(CO)_6$. Die Festkörperstruktur von Pentacarbonyl-[μ-(1,2,3,4-η:1,4-η)-1,4-diphenyl-1,3-butadien-1,4-diyl]dicobalt, 74
Cobalt carbonyl
Synthese und Reaktionsverhalten von $(\eta^2$-BrC≡CR)$Co_2(CO)_6$. Die Festkörperstruktur von Pentacarbonyl-[μ-(1,2,3,4-η:1,4-η)-1,4-diphenyl-1,3-butadien-1,4-diyl]dicobalt, 74
Cobalttetrahedrane
Synthese und Reaktionsverhalten von $(\eta^2$-BrC≡CR)$Co_2(CO)_6$. Die Festkörperstruktur von Pentacarbonyl-[μ-(1,2,3,4-η:1,4-η)-1,4-diphenyl-1,3-butadien-1,4-diyl]dicobalt, 74

PII: S0022-328X(01)01202-5

Coupling
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, 39
Cross-metathesis
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, 216
Crystal structures
Synthesis and solid state structure of α,α′-bis(2-phenyl-1,2-carboran-1-yl)lutidine, 99
Cumulenes
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
Cyclization
Investigation into the reactivity of oxoniobocene complexes $[Cp^*_2Nb(=O)R]$ ($Cp^* = \eta^5$-C_5Me_5; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, 47
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
Cycloaddition
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
Cyclometallation
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, 157
Cyclopentadienyl metal complexes
Synthesis of homo- and heterodinuclear metal complexes with dimethylsilylene bridged unsymmetrical bis(cyclopentadienyl) ligand, 109

Deviations from symmetry
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
DFT
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, 136
DFT calculations
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
Diene ligand
Preparation and structure elucidation of novel organoruthenium amidinates bearing η^4-diene ligands, 167
Diethanolamine
New half-sandwich metallocene catalysts for polyethylene and polystyrene, 19
Dinuclear fulvalene compounds
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5\text{-}C_5H_5)\}_2(\mu\text{-}CH_2)(\mu\text{-}Cl)(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, 177

Electron-deficient olefins
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, 216
Elimination
C–O bond activation in carbene-*C,O* chelate tungsten(II) complexes — MeX elimination in the reaction of $[X_2(CO)_3W{=}C(C_6H_4OMe\text{-}o)OMe]$ with L_2 (L_2 = dppe, 2 PMe_3), 209
Epoxidation
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, 34
EPR
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, 136

Ferrocenes
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, 122
Ferrocenylimidazole derivatives
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, 122
Fluoride ion mediated
Fluoride ion mediated reactions of disubstituted acetylenes $Me_3SiC{\equiv}CMMe_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, 69
FT-Raman spectroscopy
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, 61

Gallium
The hydrogallation of C=N double bonds — reactions of $GaH_3{\cdot}NMe_2Et$ with tetramethyl-2,3-diazabutadiene, 193

Half-sandwich metallocene
New half-sandwich metallocene catalysts for polyethylene and polystyrene, 19
Halides
Synthese und Reaktionsverhalten von $(\eta^2\text{-}BrC{\equiv}CR)Co_2(CO)_6$. Die Festkörperstruktur von Pentacarbonyl-[μ-(1,2,3,4-η:1,4-η)-1,4-diphenyl-1,3-butadien-1,4-diyl]dicobalt, 74
Heck reactions
Heck arylation of allylic alcohols in molten salts, 153
Hemilabile ligand
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, 90
Heterocumulenes
Investigation into the reactivity of oxoniobocene complexes $[Cp^*_2Nb(=O)R]$ ($Cp^* = \eta^5$-C_5Me_5; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, 47
Heterocycles
The hydrogallation of C=N double bonds — reactions of $GaH_3{\cdot}NMe_2Et$ with tetramethyl-2,3-diazabutadiene, 193
Heterodinuclear metal complexes
Synthesis of homo- and heterodinuclear metal complexes with dimethylsilylene bridged unsymmetrical bis(cyclopentadienyl) ligand, 109
Heterogeneous catalysis
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, 39

Homodinuclear metal complexes
Synthesis of homo- and heterodinuclear metal complexes with dimethylsilylene bridged unsymmetrical bis(cyclopentadienyl) ligand, 109
Hydrido ligands
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, 12
Hydroformylation
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, 90
Hydrogallation
The hydrogallation of C=N double bonds — reactions of $GaH_3{\cdot}NMe_2Et$ with tetramethyl-2,3-diazabutadiene, 193
Hydrogenation
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, 90

Iminophosphorane
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, 122
Intermolecular interactions C–H···π
Synthesis and solid state structure of α,α′-bis(2-phenyl-1,2-carboran-1-yl)lutidine, 99
Iodination
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, 157
Iridium
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, 12
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, 25
Iron carbonyl complexes
Photochemistry of bridged disilyldiiron complexes $(SiMe_2)\{(\eta^5\text{-}C_5H_4)Fe(CO)_2SiMe_2SiMe_2R\}_2$, R = Me, Ph, 102
Iron complexes
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
Isocyanides insertion
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5\text{-}C_5H_5)\}_2(\mu\text{-}CH_2)(\mu\text{-}Cl)(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, 177

Manganese
Recovering phospholes from phosphacymantrenes, 131
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, 157
Metal–carbon stretching frequency
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, 61
Metallacycle
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, 157
Metallacycles
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, 83
Metallocene
Synthesis, structures and catalytic properties of Group 4 metallocenes based upon $[Me_2E(C_5H_4)(C_5Me_4)]_2$ (E = Si, Ge) supporting coordination, 145
Metal methyl compounds
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, 61
Molten ammonium salts
Heck arylation of allylic alcohols in molten salts, 153
Molybdenum
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, 34
Multitopic ligands
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, 25

Niobocene
Investigation into the reactivity of oxoniobocene complexes $[Cp^*_2Nb(=O)R]$ ($Cp^* = \eta^5\text{-}C_5Me_5$; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, 47
NMR
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, 122
Molecular properties of a bis(1,1-diphenylallenylidene)-octacarbonyltriiron complex obtained by symmetric cleavage from 1,1,6,6-tetraphenylhexapentaene. Idealized symmetry studied in *synperiplanar* and *synclinal* conformers by X-ray diffraction, NMR and density functional theory, 198
Synthesis and structural characterization of (4,7-dioxaoctyl)-phenyldichlorostannane and triphenyltin compounds containing various polyoxaalkyl moieties, 55
N,P,N-ligand
Synthesis of a tetramethoxy and an amphiphilic tetrahydroxy hemilabile *N,P,N*-ligand. Coordination behavior towards rhodium(I) and application to hydroformylation of styrene or hydrogenation of *trans*-cinnamaldehyde, 90
Nucleophilic attacks
Recovering phospholes from phosphacymantrenes, 131

o-Bromoacetophenone
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
o-Iodoacetophenones
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, 157
o-Iodobenzoic acid esters
Regioisomeric preferences in the orthomanganation of *meta*-substituted acetophenones and isopropyl benzoates, and application of iodo-demanganation with iodine chloride to the synthesis of 2-iodo-3-*O*-substituted and other *ortho*-iodo arylcarbonyl compounds, 157

Oxo ligands
Investigation into the reactivity of oxoniobocene complexes $[Cp^*_2Nb(=O)R]$ ($Cp^* = \eta^5$-C_5Me_5; R = H, OH, OMe) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO, 47

Palladium
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, 83
Palladium catalysis
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
Palladium catalysts
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, 39
P-chiral
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, 83
Pentamethylcyclopentadiene
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, 12
Phenylacetylene and 2-methyl-5-pyridylacetylene
Fluoride ion mediated reactions of disubstituted acetylenes $Me_3SiC{\equiv}CMMe_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, 69
Phosphaallenes
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, 136
Phosphaallylic radical
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, 136
Phosphacymantrenes
Recovering phospholes from phosphacymantrenes, 131
Phospholes
Recovering phospholes from phosphacymantrenes, 131
Phospholium salts
Recovering phospholes from phosphacymantrenes, 131
Photochemistry
Photochemistry of bridged disilyldiiron complexes $(SiMe_2)[(\eta^5\text{-}C_5H_4)Fe(CO)_2SiMe_2SiMe_2R]_2$, R = Me, Ph, 102
Polyethylene
New half-sandwich metallocene catalysts for polyethylene and polystyrene, 19
Polymerization
Synthesis, structures and catalytic properties of Group 4 metallocenes based upon $[Me_2E(C_5H_4)(C_5Me_4)]_2$ (E = Si, Ge) supporting coordination, 145
Polyoxaalkylstannanes
Synthesis and structural characterization of (4,7-dioxaoctyl)phenyldichlorostannane and triphenyltin compounds containing various polyoxaalkyl moieties, 55
Polystyrene
New half-sandwich metallocene catalysts for polyethylene and polystyrene, 19
Porphyrin
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, 34
Pulse EPR
Continuous wave and pulse EPR as a tool for the characterization of monocyclopentadienyl Ti(III) catalysts, 185
Pyrazolato ligands
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, 12

Quantum chemical calculations
Fluoride ion mediated reactions of disubstituted acetylenes $Me_3SiC{\equiv}CMMe_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, 69

Radical anion
EPR and theoretical studies of the reduction product of the fulvenephosphaallene system, 136
Recycling
Heck arylation of allylic alcohols in molten salts, 153
Resolution
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, 83
Restricted rotation
Optically active cyclopalladated compounds containing P-chiral ligands. Restricted rotation around the Pd–P bond, 83
Rhodium
Synthesis of Rh(I) and Ir(I) complexes with chiral C_2-multitopic ligands: Structural and catalytic properties, 25
ROMP
Bis(pyrimidine)-based palladium catalysts: synthesis, X-ray structure and applications in Heck–, Suzuki–, Sonogashira–Hagihara couplings and amination reactions, 39
Ruthenium
Cross-metathesis reaction. Generation of highly functionalized olefins from unsaturated alcohols, 216
Preparation and structure elucidation of novel organoruthenium amidinates bearing η^4-diene ligands, 167

Silver complex
Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, 5
Silylene elimination
Photochemistry of bridged disilyldiiron complexes $(SiMe_2)[(\eta^5\text{-}C_5H_4)Fe(CO)_2SiMe_2SiMe_2R]_2$, R = Me, Ph, 102
Silyl(silylene)iron intermediates
Photochemistry of bridged disilyldiiron complexes $(SiMe_2)[(\eta^5\text{-}C_5H_4)Fe(CO)_2SiMe_2SiMe_2R]_2$, R = Me, Ph, 102
Sonogashira coupling
Palladium-catalyzed aminobenzannulation during Sonogashira couplings using *o*-bromoacetophenone, 1
Stibines
Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, 5
Structure
Synthesis and X-ray crystal structure of a chiral molybdenum porphyrin and its catalytic behaviour toward asymmetric epoxidation of aromatic alkenes, 34
Structure elucidation by IR
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, 122
Substitution
C–O bond activation in carbene-*C,O* chelate tungsten(II) complexes — MeX elimination in the reaction of $[X_2(CO)_3W{-}C(C_6H_4OMe\text{-}o)OMe]$ with L_2 (L_2 = dppe, 2 PMe_3), 209

1-*tert*-Butyl-2-trimethylsilyl-, bis(trimethylsilyl)-, 1-trimethylgermyl-2-trimethylsilyl-, and 1-trimethylstannyl-2-trimethylsilylacetylenes
Fluoride ion mediated reactions of disubstituted acetylenes $Me_3SiC{\equiv}CMMe_3$ (M = C, Si, Ge, Sn) with terminal acetylenes, 69
Titanium
New half-sandwich metallocene catalysts for polyethylene and polystyrene, 19

Titanium complexes
Continuous wave and pulse EPR as a tool for the characterization of monocyclopentadienyl Ti(III) catalysts, 185
Titanocene
Synthesis, structures and catalytic properties of Group 4 metallocenes based upon $[Me_2E(C_5H_4)(C_5Me_4)]_2$ (E = Si, Ge) supporting coordination, 145
Trans ligand effect
The metal–carbon stretching frequencies in methyl complexes of Rh, Ir, Ga and In with porphyrins and a tetradentate pyridine–amide ligand, 61
Triazolato ligands
Reactions of the cationic complex $[(\eta^5\text{-}C_5Me_5)_2Ir_2(\mu_2\text{-}H)_3]^+$ with nitrogen-containing heterocycles in aqueous solution, 12
Tridentate ligand
New half-sandwich metallocene catalysts for polyethylene and polystyrene, 19
Tripodal ligands
Tertiary stibines containing aromatic heterocycles and their silver complexes: synthesis and X-ray structures, 5
Tungsten complexes
C–O bond activation in carbene-*C,O* chelate tungsten(II) complexes — MeX elimination in the reaction of $[X_2(CO)_3W{=}C(C_6H_4OMe\text{-}o)OMe]$ with L_2 (L_2 = dppe, 2 PMe_3), 209
X-ray
An efficient iminophosphorane-mediated synthesis, NMR–IR spectroscopic and X-ray study of novel ferrocenylimidazole derivatives: Part 10. Study on ferrocenes, 122
X-ray diffraction
Synthesis and structural characterization of (4,7-dioxaoctyl)-phenyldichlorostannane and triphenyltin compounds containing various polyoxaalkyl moieties, 55
X-ray structure
Synthese und Reaktionsverhalten von $(\eta^2\text{-}BrC{\equiv}CR)Co_2(CO)_6$. Die Festkörperstruktur von Pentacarbonyl-[μ-(1,2,3,4-η:1,4-η)-1,4-diphenyl-1,3-butadien-1,4-diyl]dicobalt, 74

Zirconium
Reactivity of the dinuclear fulvalene cyclopentadienyl zirconium cationic species $[\{Zr(\eta^5\text{-}C_5H_5)\}_2(\mu\text{-}CH_2)(\mu\text{-}Cl)(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)]^+$ with isocyanides and carbon monoxide: insertion reactions, spectroscopic characterization and synthetic aspects, 177
Zirconocene
Synthesis, structures and catalytic properties of Group 4 metallocenes based upon $[Me_2E(C_5H_4)(C_5Me_4)]_2$ (E = Si, Ge) supporting coordination, 145